## **Product Information Sheet**


COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources	ELEGATED REGUL	.ATION (EU) 2019/2	015 with regard to ener	gy labelling of light		
Supplier's name	e or trade mark:	Tala				
Supplier's address: Tala Engineering Team, 25b Vyner Street, E2 9DG London London, UK						
Model identifier: ACC-MUSE-BULB-02						
Type of light so	urce:					
Lighting technology used:		LED	Non-directional or directional:	NDLS		
Light source cap	o-type	E27				
(or other electri	c interface)					
Mains or non-mains:		NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:		No	Envelope:	-		
High luminance light source:		No				
Anti-glare shield:		No	Dimmable:	Yes		
Product parameters						
Parameter		Value	Parameter	Value		
_		General product p		_		
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		4	Energy efficiency class	F		
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		400 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	20002800		
On-mode power (P <sub>on</sub> ), expressed in W		4,3	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00		
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	97		
Outer dimensions without separate control gear, lighting control	Height Width Depth	108 60 60	Spectral power distribution in the range 250 nm to 800 nm, at full-load	See image in last page		

parts and non- lighting con- trol parts, if any (millime- tre)							
Claim of equivalent power <sup>(a)</sup>	Yes	If yes, equivalent power (W)	35				
		Chromaticity coordi-	0,454				
		nates (x and y)	0,405				
Parameters for LED and OLED light sources:							
R9 colour rendering index value	95	Survival factor	1,00				
the lumen maintenance factor	0,90						

(a)'-': not applicable; (b)'-': not applicable;

## 说明:



色度参数

4,,,

Model placed on the Union market from 22/12/2023



EPREL registration number: 1882451 https://eprel.ec.europa.eu/qr/18

82451

Supplier: Tala Europe B.V. (Manufacturer) Website: eu.tala.co.uk

**Customer care service:** 

Name: Tala Engineering Team Website: www.tala.co.uk

Email: engineering@tala.co.uk Phone: +44 2031501058

Address:

25b Vyner Street E2 9DG London United Kingdom